Parasitology

EDITORS

C. ARME *and* R. S. PHILLIPS

EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

ADVISORY BOARD

F. E. G. COX (Chairman)

T. J. C. ANDERSON
R. W. ASHFORD
M-G. BASANEZ
J. M. BEHNKE
A. O. BUSH
L. H. CHAPPELL*
T. A. DAY
K. DIETZ
J. P. DUBEY
R. B. GASSER
H. GINSBURG
D. W. HALTON
W. HARNETT
C. R. KENNEDY
M. W. KENNEDY
D. P. KNOX
P. T. LoVERDE
D. P. McMANUS
S. A. NADLER
E. OTTESEN
P. W. PAPPAS
R. POULIN
A. ROEPSTORFF
D. ROLLINSON
A. SAUL
M. E. SCOTT
Y. TAKAHASHI
R. C. TINSLEY
K. VICKERMAN, F.R.S.
D. WAKELIN
R. A. WILSON
M. E. J. WOOLHOUSE

*Representing the British Society for Parasitology.

CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain

© Cambridge University Press, 2001

Printed in the United Kingdom by the
University Press Cambridge

CONTENTS

PART 1 JULY 2001

TIMMS, R., COLEGRAVE, N., CHAN, B. H. K. and READ, A. F. The effect of parasite dose on disease severity in the rodent malaria *Plasmodium chabaudi* 1

SCHOCK, A., INNES, E. A., YAMANE, I., LATHAM, S. M. and WASTLING, J. M. Genetic and biological diversity among isolates of *Neospora caninum* 13

NISHIKAWA, Y., MISHIMA, M., NAGASAWA, H., IGARASHI, I., FUJISAKI, K., OTSUKA, H. and MIKAMI, T. Interferon-gamma-induced apoptosis in host cells infected with *Neospora caninum* 25

MORGADO-DÍAZ, J. A. NAKAMURA, C. V., AGRELLOS, O. A., DIAS, W. B., PREVIATO, J. O., MENDONÇA-PREVIATO, L. and DE SOUZA, W. Isolation and characterization of the Golgi complex of the protozoan *Trypanosoma cruzi* 33

RASOLOSON, D., TOMKOVÁ, E., CAMMACK, R., KULDA, J. and TACHEZY, J. Metronidazole-resistant strains of *Trichomonas vaginalis* display increased susceptibility to oxygen 45

NOGA, E. J., FAN, Z. and SILPHADUANG, U. Histone-like proteins from fish are lethal to the parasitic dinoflagellate *Amyloodinium ocellatum* 57

KOCK, S. Investigations of intermediate host specificity help to elucidate the taxonomic status of *Trichobilharzia ocellata* (Digenea: Schistosomatidae) 67

AKUE, J. P., DUBREUIL, G. and MOUKANA, H. The relationship between parasitological status and humoral responses to *Loa loa* antigens in the *Mandrillus sphinx* model after immunization with irradiated L3 and infection with normal L3 71

NAGANO, I., WU, Z., NAKADA, T., MATSUO, A. and TAKAHASHI, Y. Molecular cloning and characterization of a serine proteinase inhibitor from *Trichinella spiralis* 77

WU, Z., MATSUO, A., NAKADA, T., NAGANO, I. and TAKAHASHI, Y. Different response of satellite cells in the kinetics of myogenic regulatory factors and ultrastructural pathology after *Trichinella spiralis* and *T. pseudospiralis* infection 85

PEDERSEN, S. and SAEED, I. Acquired immunity to *Trichuris suis* infection in pigs 95

SILVESTRE, A., CABARET, J. and HUMBERT, J.-F. Effect of benzimidazole under-dosing on the resistant allele frequency in *Teladorsagia circumcincta* (Nematoda) 103

BOOK REVIEWS 102, 112

PART 2 AUGUST 2001

OFOSU-OKYERE, A., MACKINNON, M. J., SOWA, M. P. K., KORAM, K. A., NKRUMAH, F. OSEI, Y. D., HILL, W. G., WILSON, M. D. and ARNOT, D. E. Novel *Plasmodium falciparum* clones and rising clone multiplicities are associated with the increase in malaria morbidity in Ghanaian children during the transition into the high transmission season 113

SCHWARZER, E., BELLOMO, G., GIRIBALDI, G., ULLIERS, D. and ARESE, P. Phagocytosis of malarial pigment haemozoin by human monocytes: a confocal microscopy study 125

NEWMAN, C., MACDONALD, D. W. and ANWAR, M. A. Coccidiosis in the European badger, *Meles meles* in Wytham Woods: infection and consequences for growth and survival 133

FROMONT, E., MORVILLIERS, L., ARTOIS, M. and PONTIER, D. Parasite richness and abundance in insular and mainland feral cats: insularity or density? 143

KOUDELA, B., VISVESVARA, G. S., MOURA, H. and VÁVRA, J. The human isolate of *Brachiola algerae* (Phylum Microspora): development in SCID mice and description of its fine structure features 153

IMASE, A., KOBAYASHI, K., OHMAE, H., MATSUDA, H. and IWAMURA, Y. Horizontal and vertical transmission of mouse class I MHC sequence in *Schistosoma mansoni* 163

SIMKOVÁ, A., DESDEVISES, Y., GELNAR, M. and MORAND, S. Morphometric correlates of host specificity in *Dactylogyrus* species (Monogenea) parasites of European Cyprinid fish 169

SURES, B., KNOPF, K. and KLOAS, W. Induction of stress by the swimbladder nematode *Anguillicola crassus* in European eels, *Anguilla anguilla*, after repeated experimental infection 179

SURES, B. and STREIT, B. Eel parasite diversity and intermediate host abundance in the River Rhine, Germany 185

DUERR, H. P., DIETZ, K., BÜTTNER, D. W. and SCHULZ-KEY, H. A stochastic model for the aggregation of *Onchocerca volvulus* in nodules 193

FERNÁNDEZ, V., ZAVALA, A. and MUSTO, H. Evidence for translational selection in codon usage in *Echinococcus* spp. 203

STEAR, M. J., ECKERSALL, P. D. GRAHAM, P. A., McKELLAR, Q. A., MITCHELL, S. and BISHOP, S. C. Fructosamine concentration and resistance to natural, predominantly *Teladorsagia circumcincta* infection 211

PART 3 SEPTEMBER 2001

ADAGU, I. S. and WARHURST, D. C. *Plasmodium falciparum*: linkage disequilibrium between loci in chromosomes 7 and 5 and chloroquine selective pressure in Northern Nigeria 219

VELGE-ROUSSEL, F., DIMIER-POISSON, I., BUZONI-GATEL, D. and BOUT, D. Anti-SAG1 peptide antibodies inhibit the penetration of *Toxoplasma gondii* tachyzoites into enterocyte cell lines 225

NASIRUDEEN, A. M. A., TAN, K. S. W., SINGH, M. and YAP, E. H. Programmed cell death in a human intestinal parasite, *Blastocystis hominis* 235

PAPERNA, I. and LAINSON, R. Light microscopical structure and ultrastructure of a *Besnoitia* sp. in the naturally infected lizard *Ameiva ameiva* (Teiidae) from north Brazil, and in experimentally infected mice 247

KENNEDY, C. R., SHEARS, P. C. and SHEARS, J. A. Long-term dynamics of *Ligula intestinalis* and roach *Rutilus rutilus*: a study of three epizootic cycles over thirty-one years 257

MOHAN, S., FOULD, S. and DAVIES, K. G. The interaction between the gelatin-binding domain of fibronectin and the attachment of *Pasteuria penetrans* endospores to nematode cuticle 271

SKELLY, P. J., DOUGAN, P. M., MAULE, A., DAY, T. A. and SHOEMAKER, C. B. Cloning and characterization of a muscle isoform of a Na, K-ATPase alpha subunit (SNaK1) from *Schistosoma mansoni* 277

IGLESIAS, L., VALERO, A., BENÍTEZ, R. and ADROHER, F. J. *In vitro* cultivation of *Anisakis simplex*: pepsin increases survival and moulting from fourth larval to adult stage 285

MAK, C. H., SUN, K. W. and KO, R. C. Identification of some heat-induced genes of *Trichinella spiralis* 293

MAK, C. H. and KO, R. C. DNA-binding activity in the excretory–secretory products of *Trichinella pseudospiralis* (Nematoda: Trichinelloidea) 301

MES, T. H. M., PLOEGER, H. W., TERLOU, M., KOOYMAN, F. N. J., VAN DER PLOEG, M. P. J. and EYSKER, M. A novel method for the isolation of gastro-intestinal nematode eggs that allows automated analysis of digital images of egg preparations and high throughput screening 309

PETKEVIČIUS, S., BACH KNUDSEN, K. E., NANSEN, P. and MURRELL, K. D. The effect of dietary carbohydrates with different digestibility on the populations of *Oesophagostomum dentatum* in the intestinal tract of pigs 315

OLSEN, A., PERMIN, A. and ROEPSTORFF, A. Chickens and pigs as transport hosts for *Ascaris*, *Trichuris* and *Oesophagostomum* eggs 325

ERRATUM 234

BOOK REVIEW 270

PART 4 OCTOBER 2001

RUBIO, J. M., BERZOSA, P. J. and BENITO, A. Amplified fragment length polymorphism (AFLP) protocol for genotyping the malarial parasite *Plasmodium falciparum* 331

HOSHEN, M. B., STEIN, W. D. and GINSBURG, H. D. Pharmacokinetic–pharmacodynamic modelling of the anti-malarial activity of mefloquine 337

KAUR, H., GHOSH, S., SAMRA, H., VINAYAK, V. K. and GANGULY, N. K. Identification and characterization of an excretory–secretory product from *Giardia lamblia* 347

NEVES, L., CROSS, H. F., LOUREIRO, L., AKÇA, A., HOMMEL, M. and TREES, A. J. Addition of hypoxanthine to culture media allows *in vitro* cultivation of *Babesia bovis* and *B. bigemina* at reduced serum concentrations 357

HUGHES, V. L. and RANDOLPH, S. E. Testosterone increases the transmission potential of tick-borne parasites 365

NARGIS, M., CHISTY, M. M., IHAMA, Y., SATO, H., INABA, T. and KAMIYA, H. Kinetics of *Trypanosoma cruzi* infection in guinea-pigs, with special reference to the involvement of epidermal Langerhans' cells in the induction of immunity 373

ROSENZVIT, M. C., CANOVA, S. G., KAMENETZKY, L. and GUANERA, E. A. *Echinococcus granulosus*: intraspecific genetic variation assessed by a DNA repetitive element 381

SHARPILO, V. P., BISERKOV, V., KOSTADINOVA, A., BEHNKE, J. M. and KUZMIN, Y. I. Helminths of the sand lizard, *Lacerta agilis* (Reptilia, Lacertidae), in the Palaearctic: faunal diversity and spatial patterns of variation in the composition and structure of component communities 389

BEHNKE, J. M., BARNARD, C. J., BAJER, A., BRAY, D., DINMORE, J., FRAKE, K., OSMOND, J., RACE, T. and SINSKI, E. Variation in helminth community structure in bank voles (*Clethrionomys glareolus*) from three comparable localities in the Mazury Lake District region of Poland 401

KRAGLUND, H.-O., ROEPSTORFF, A. and GRØNVOLD, J. The impact of season and vegetation on the survival and development of *Oesophagostomum dentatum* larvae in pasture plots 415

PART 5 NOVEMBER 2001

HIDE, M., BAÑULS, A. L. and TIBAYRENC, M. Genetic heterogeneity and phylogenetic status of *Leishmania* (*Leishmania*) *infantum* zymodeme MON-1: epidemiological implications 425

LYONS, R. E., LYONS, K., McLEOD, R. and ROBERTS, C. W. Construction and validation of a polycompetitor construct (SWITCH) for use in competitive RT-PCR to assess tachyzoite-bradyzoite interconversion in *Toxoplasma gondii* 433

HOGG, J. and LEHANE, M. J. Microfloral diversity of cultured and wild strains of *Psoroptes ovis* infesting sheep 441

WANG, H., HAILS, R. S., CUI, W. W. and NUTTALL, P. A. Feeding aggregation of the tick *Rhipicephalus appendiculatus* (Ixodidae): benefits and costs in the contest with host responses 447

JACKSON, J. A. and TINSLEY, R. C. *Protopolystoma xenopodis* (Monogenea) primary and secondary infections in *Xenopus laevis* 455

MATEJUSOVÁ, I., KOUBKOVÁ, B., D'AMELIO, S. and CUNNINGHAM, C. O. Genetic characterization of six species of diplozoids (Monogenea; Diplozoidae) 465

MacLEOD, A., TURNER, C. M. R. and TAIT, A. The detection of geographical substructuring of *Trypanosoma brucei* populations by the analysis of minisatellite polymorphisms 475

JAKES, K. A., O'DONOGHUE, P. J. and ADLARD, R. D. Phylogenetic relationships of *Tryanosoma chelodina* and *Trypanosoma binneyi* from Australian tortoises and platypuses inferred from small subunit rRNA analysis 483

KOHN, A. B., LEA, J. M., ROBERTS-MISTERLY, J. M., ANDERSON, P. A. V. and GREENBERG, R. M. Structure of three high voltage-activated calcium channel α_1 subunits from *Schistosoma mansoni* 489

CROSS, M. A., IRWIN, S. W. B. and FITZPATRICK, S. M. Effects of heavy metal pollution on swimming and longevity in cercariae of *Cryptocotyle lingua* (Digenea: Heterophyidae) 499

ROBINSON, M. W., COLHOUN, L. M., FAIRWEATHER, I., BRENNAN, G. P. and WAITE, J. H. Development of the vitellaria of the liver fluke, *Fasciola hepatica* in the rat host 509

BROWN, S. P., LOOT, G., GRENFELL, B. T. and GUÉGAN, J. F. Host manipulation by *Lingula intestinalis*: accident or adaptation? 519
BOOK REVIEWS 531

PART 6 DECEMBER 2001

GATTON, M. L., HOGARTH, W. and SAUL, A. Time of treatment influences the appearance of drug-resistant parasites in *Plasmodium falciparum* infections 537
HENTTONEN, H., FUGLEI, E., GOWER, C. N., HAUKISALMI, V., IMS, R. A., NIEMIMAA, J. and YOCCOZ, N. G. *Echinococcus multilocularis* on Svalbard: introduction of an intermediate host has enabled the local life-cycle 547
GUBBELS, M.-J., KATZER, F., SHIELS, B. R. and JONGEJAN, F. Study of *Theileria annulata* population structure during bovine infection and following transmission to ticks 553
AL-ADHAMI, B. H., DOENHOFF, M., THORNHILL, J., AKHKHA, A., WHITE, E. and KUSEL, J. R. A study of some characteristics of individual clones of *Schistosoma mansoni* with emphasis on the biological and metabolic activities 563
SCHECHTMAN, D., WINNEN, R., TARRAB-HAZDAI, R., RAM, D., SHINDER, V., GREVELDING, C. G., KUNZ, W. and ARNON, R. Expression and immunolocalization of the 14-3-3 protein of *Schistosoma mansoni* 573
BRUNEAU, A., DERNBURG, A., CHAUVE, C. and ZENNER, L. First *in vitro* cycle of the chicken mite, *Dermanyssus gallinae* (De Geer 1778), utilizing an artificial feeding device 583
EYSKER, M., KOOYMAN, F. N. J. and PLOEGER, H. W. Immunity in calves against *Dictyocaulus viviparus* following a low primary infection 591
ŠIMKOVÁ, A., GELNAR, M. and SASAL, P. Aggregation of congeneric parasites (Monogenea: *Dactylogyrus*) among gill microhabitats within one host species (*Rutilus rutilus* L.) 599
LE, T. H., BLAIR, D. and McMANUS, D. P. Complete DNA sequence and gene organization of the mitochondrial genome of the liverfluke, *Fasciola hepatica* L. (Platyhelminthes; Trematoda) 609
POULIN, R. Progenesis and reduced virulence as an alternative transmission strategy in a parasitic trematode 623
YATSUDA, A. P., DE VRIES, E., VIERA BRESSAN, M. C. R. and EYSKER, M. A *Cooperia punctata* gene family encoding 14 kDa excretory–secretory antigens conserved for trichostrongyloid nematodes 631
BOOK REVIEWS 562, 608, 641